

CORRECTION

Open Access



Correction to: Automatic differentiation of Glaucoma visual field from non-glaucoma visual field using deep convolutional neural network

Fei Li^{1†}, Zhe Wang^{4†}, Guoxiang Qu^{2†}, Diping Song², Ye Yuan^{1,5}, Yang Xu³, Kai Gao¹, Guangwei Luo¹, Zegu Xiao², Dennis S. C. Lam⁵, Hua Zhong^{3*}, Yu Qiao^{2*} and Xiulan Zhang^{1*}

Correction to: BMC Med Imaging (2018) 18: 35
<https://doi.org/10.1186/s12880-018-0273-5>

In the original version of this article [1], published on 4 October 2018, there was an error in the article title. The title of the original publication is: *“Automatic differentiation of Glaucoma visual field from non-glaucoma visual field using deep convolutional neural network”*, however, the correct title should be: *“Automatic differentiation of Glaucoma visual field from non-glaucoma visual field using deep convolutional neural network”*, as presented in the title of this Correction article.

The same error appears in the Background section of the Abstract. *“To develop a deep neural network able to differentiate glaucoma from non-glaucoma visual fields based on visual field (VF) test results, we collected VF tests from 3 different ophthalmic centers in mainland China”* should instead read: *“To develop a deep neural network able to differentiate glaucoma from non-glaucoma visual fields based on visual field (VF) test results, we collected VF tests from 3 different ophthalmic centers in mainland China”*.

Author details

¹Zhongshan Ophthalmic Center, State Key Laboratory of Ophthalmology, Sun Yat-sen University, Guangzhou, China. ²Guangdong key lab of Computer Vision & Virtual Reality, Multimedia Research Center, Shenzhen Institutes of

Advanced Technology, Chinese Academy of Sciences, Shenzhen, China. ³Department of Ophthalmology, The First Affiliated Hospital of Kunming Medical University, Kunming, China. ⁴SenseTime Group Limited, Hong Kong, China. ⁵C-MER Dennis Lam Eye Hospital, Shenzhen, China.

Received: 7 May 2019 Accepted: 7 May 2019
Published online: 21 May 2019

Reference

1. Li F, Wang Z, Qu G, et al. Automatic differentiation of Glaucoma visual field from non-glaucoma visual field using deep convolutional neural network. *BMC Med Imaging*. 2018;18(35) <https://doi.org/10.1186/s12880-018-0273-5>.

* Correspondence: zhoculist@163.com; yu.qiao@siat.ac.cn; zhangxl2@mail.sysu.edu.cn

[†]Fei Li, Zhe Wang and Guoxiang Qu contributed equally to this work.

³Department of Ophthalmology, The First Affiliated Hospital of Kunming Medical University, Kunming, China

²Guangdong key lab of Computer Vision & Virtual Reality, Multimedia Research Center, Shenzhen Institutes of Advanced Technology, Chinese Academy of Sciences, Shenzhen, China

¹Zhongshan Ophthalmic Center, State Key Laboratory of Ophthalmology, Sun Yat-sen University, Guangzhou, China

Full list of author information is available at the end of the article

